

1982 Annual Index

Abbreviations: (TA) - Technical Article, (N) - News, (CF) - Cover feature, (PT) - Product Technology, (PF) - Product Feature

Acoustic-Wave Devices

- Single-step SAW compression to a 3-wavelength beam width, (N), Jan., p. 37.
- SAW oscillators: An alternative to quartz-crystal sources, (N), Feb., p. 14.
- Computer Design Package Aids SAW Development, (TA), May, p. 142.
- Novel magnetostatic wave diplexer, (N), June, p. 49.
- Surface acoustic wave sensor, (N), Oct., p. 53.
- Whispering-gallery resonance, (N), Oct., p. 53.
- Linear phase SAW filter, (N), Nov., p. 47.

Amplifiers

- Versatile opamp delivers high speed and broad bandwidth, (PF), June, p. 110.
- 40-Watt GaAs FET Amplifier, (N), May, p. 47.
- A linear solid-state alternative to traveling-wave tube amplifiers, (CF), Jan., p. 109.
- Power differential amplifier is a multifunction performer, (PF), Apr., p. 100.
- 26.5-to-40-GHz FET amplifier, (N), May, p. 47.
- Small-signal devices keep DBS market vigil, (PF), June, p. 99.
- Designing for low noise with small signal devices, (PF), June, p. 101.
- GaAs FET amplifiers reach millimeter waves, (CF), June, p. 67.
- "Preselection" aids in LNA design, (TA), Nov., p. 91.
- Simple amplifier circuit delivers 30 W at 800 GHz, (PF), Dec., p. 143.

Antennas and Phased Arrays

- Four-element vectored-array antenna has 1-degree beam width, (N), Feb., p. 14.
- Giant antenna tracks microwaves from space, (N), Feb., p. 23.

Distributed Line Analysis For Microstrip Antennas, (TA), Mar., p. 71.

French get high gain from stripline antenna, (N), June, p. 41.

A new twist in antenna design, (N), June, p. 36.

Dipole-array lens antenna, (N), Oct., p. 53.

Compact antenna developed to aid shuttle VLF experiments, (N), Nov., p. 33.

Pulsed interference in adaptive arrays, (N), Nov., p. 47.

Microstrip Franklin antenna, (N), Nov., p. 47.

CATV

- Microband proposes MDS expansion, (N), Aug., p. 48.
- HDTV's future bright on cable TV, not DBS, (N), Oct., p. 45.
- New phased-array element, (N), Dec., p. 37.
- Simple antenna model eases pattern plots, (TA), Dec., p. 65.

Commercial Applications

- Home terminal executive predicts challenges, (N), June, p. 17.
- British clear the air on DBS signal quality, (N), June, p. 41.
- More input requested to develop DBS plan, (N), May, p. 42.
- Interim rules adopted for DBS applicants, (N), Aug., p. 45.
- First US, Japanese partnership shoots for \$250 DBS TVRO package, (N), Aug., p. 22.
- US firms rise to the DBS challenge, (N), July, p. 52.
- New firm joins DBS race, (N), May, p. 25.
- Confusion mounts over DBS as FCC readies its decision, (N), June, p. 15.

Earth-based microwave transmitter can power ion engines in space, (N), Oct., p. 35.

Racal, Oak, team up for pay-TV market, (N), Oct., p. 51.

First 11-GHz link installed by GEC, (N), Oct., p. 51.

US firms may benefit from British cellular venture, (N), Oct., p. 51.

Cellular radio venture unveiled at Racalex, (N), Nov., p. 48E.

Charges fly over DBS rulings, (N), Nov., p. 51.

Oak thinks twice about DBS plans, (N), Nov., p. 54.

2-GHz MDS service eyes metro markets, (N), Nov., p. 54.

UK's channel 4 expands coverage, (N), Nov., p. 57.

DBS contenders get FCC approval, (N), Dec., p. 28.

Courts short-circuit pay-television pirates, (N), Dec., p. 103.

Sour debut for Britain's Channel 4, (N), Dec., p. 30.

Communications

- Spread-spectrum system synchronization, (N), Aug., p. 54.
- Microwave relays to link the Outback, (N), Aug., p. 43.
- Array Radars Solve Communication Jams, (TA), Apr., p. 73.
- Martin Marietta completes fiber-optic network, (N), Mar., p. 28.
- Adverse weather clouds the choice of wavelength, (TA), Feb., p. 77.
- Hawaiian fiber-optic system reaches new lengths, (N), Feb., p. 20.
- Broadcast agency picks solid-state transponders, (N), Apr., p. 43.
- Shielded Microstrip Aids V-Band Receiver Designs, (TA), Mar., p. 77.
- Optical And MM-Wave Links Face-Off For The Future, (TA), Mar., p. 59.

1982 Annual Index

Abbreviations: (TA) - Technical Article, (N) - News, (CF) - Cover feature, (PT) - Product Technology, (PF) - Product Feature

Acoustic-Wave Devices

- Single-step SAW compression to a 3-wavelength beam width, (N), Jan., p. 37.
- SAW oscillators: An alternative to quartz-crystal sources, (N), Feb., p. 14.
- Computer Design Package Aids SAW Development, (TA), May, p. 142.
- Novel magnetostatic wave diplexer, (N), June, p. 49.
- Surface acoustic wave sensor, (N), Oct., p. 53.
- Whispering-gallery resonance, (N), Oct., p. 53.
- Linear phase SAW filter, (N), Nov., p. 47.

Amplifiers

- Versatile opamp delivers high speed and broad bandwidth, (PF), June, p. 110.
- 40-Watt GaAs FET Amplifier, (N), May, p. 47.
- A linear solid-state alternative to traveling-wave tube amplifiers, (CF), Jan., p. 109.
- Power differential amplifier is a multifunction performer, (PF), Apr., p. 100.
- 26.5-to-40-GHz FET amplifier, (N), May, p. 47.
- Small-signal devices keep DBS market vigil, (PF), June, p. 99.
- Designing for low noise with small signal devices, (PF), June, p. 101.
- GaAs FET amplifiers reach millimeter waves, (CF), June, p. 67.
- "Preselection" aids in LNA design, (TA), Nov., p. 91.
- Simple amplifier circuit delivers 30 W at 800 GHz, (PF), Dec., p. 143.

Antennas and Phased Arrays

- Four-element vectored-array antenna has 1-degree beam width, (N), Feb., p. 14.
- Giant antenna tracks microwaves from space, (N), Feb., p. 23.

Distributed Line Analysis For Microstrip Antennas, (TA), Mar., p. 71.

French get high gain from stripline antenna, (N), June, p. 41.

A new twist in antenna design, (N), June, p. 36.

Dipole-array lens antenna, (N), Oct., p. 53.

Compact antenna developed to aid shuttle VLF experiments, (N), Nov., p. 33.

Pulsed interference in adaptive arrays, (N), Nov., p. 47.

Microstrip Franklin antenna, (N), Nov., p. 47.

CATV

- Microband proposes MDS expansion, (N), Aug., p. 48.
- HDTV's future bright on cable TV, not DBS, (N), Oct., p. 45.
- New phased-array element, (N), Dec., p. 37.
- Simple antenna model eases pattern plots, (TA), Dec., p. 65.

Commercial Applications

- Home terminal executive predicts challenges, (N), June, p. 17.
- British clear the air on DBS signal quality, (N), June, p. 41.
- More input requested to develop DBS plan, (N), May, p. 42.
- Interim rules adopted for DBS applicants, (N), Aug., p. 45.
- First US, Japanese partnership shoots for \$250 DBS TVRO package, (N), Aug., p. 22.
- US firms rise to the DBS challenge, (N), July, p. 52.
- New firm joins DBS race, (N), May, p. 25.
- Confusion mounts over DBS as FCC readies its decision, (N), June, p. 15.

Earth-based microwave transmitter can power ion engines in space, (N), Oct., p. 35.

Racal, Oak, team up for pay-TV market, (N), Oct., p. 51.

First 11-GHz link installed by GEC, (N), Oct., p. 51.

US firms may benefit from British cellular venture, (N), Oct., p. 51.

Cellular radio venture unveiled at Racalex, (N), Nov., p. 48E.

Charges fly over DBS rulings, (N), Nov., p. 51.

Oak thinks twice about DBS plans, (N), Nov., p. 54.

2-GHz MDS service eyes metro markets, (N), Nov., p. 54.

UK's channel 4 expands coverage, (N), Nov., p. 57.

DBS contenders get FCC approval, (N), Dec., p. 28.

Courts short-circuit pay-television pirates, (N), Dec., p. 103.

Sour debut for Britain's Channel 4, (N), Dec., p. 30.

Communications

- Spread-spectrum system synchronization, (N), Aug., p. 54.
- Microwave relays to link the Outback, (N), Aug., p. 43.
- Array Radars Solve Communication Jams, (TA), Apr., p. 73.
- Martin Marietta completes fiber-optic network, (N), Mar., p. 28.
- Adverse weather clouds the choice of wavelength, (TA), Feb., p. 77.
- Hawaiian fiber-optic system reaches new lengths, (N), Feb., p. 20.
- Broadcast agency picks solid-state transponders, (N), Apr., p. 43.
- Shielded Microstrip Aids V-Band Receiver Designs, (TA), Mar., p. 77.
- Optical And MM-Wave Links Face-Off For The Future, (TA), Mar., p. 59.

RF and Optical System Parameters, (TA), Mar., p. 60.

Optics link Vegas phones, (N), Apr., p. 31.

Pay-TV venture planned, (N), Apr., p. 31.

Telecommunication Transmission Handbook, Second Edition, (N), May, p. 131.

PCM and digital transmission systems, (N), May, p. 130.

UK licenses GE system for 21-GHz video link, (N), May, p. 34.

NASA, Columbia contractors track transponder failure, (N), May, p. 25.

Digital communications with space applications, (N), July, p. 44.

Channelized receivers, (N), Oct., p. 54.

Synchronous delay-line detector provides wide-band performance, (TA), Nov., p. 71.

Cellular radio venture unveiled at Racalex, (N), Dec., p. 104.

Components

Aluminum-anodized capacitors, (N), July, p. 34.

Resistive directional coupler, (N), Aug., p. 54.

Coaxial attenuators feature small price tag, (PF), Feb., p. 92.

Quarter-wave resonator for high-power circulators, (N), Jan., p. 37.

The QPL: Whom does it serve?, (PT), Apr., p. 97.

Qualification testing and the manufacturer, (PT), Apr., p. 97.

Single sideband modulators cover broad bandwidths, (PF), July, p. 89.

California firm gears up for monolithic MIC demand, (N), July, p. 23.

A flexible alternative to semirigid cable, (PF), Oct., p. 107.

Practical MMICs challenge hybrids, (CF), Nov., p. 93.

Design

Calculate GaAs MESFET Equivalent Circuits, (TA), May, p. 135.

Electronic Engineers' Handbook, (N), June, p. 124.

GaAs FETs Surpass Bipolars At MW Frequencies, (TA), July, p. 71.

GaAs FETs Fill Many Low-Noise Roles, (TA), Aug., p. 71.

Stock Components Produce Improved Receiver Design, (TA), Aug., p. 59.

Transfer switches allow circuit paths alternative routes, (PT), Apr., p. 98.

MW-Oriented Program Analyzes Opamp Circuits, (TA), Jan., p. 101.

Computer-aided design of microwave circuits, (N), July, p. 44.

GaAs FET Circuits Begin With Biasing Choices, (TA), June, p. 89.

EMI: An issue not to be taken for granted, (N), June, p. 62.

Digital processing rescues hardware phase errors, (TA), Nov., p. 63.

Calculate waveguide aperture susceptance, (N), Dec., p. 48.

Diodes

Impatt Diode: Structure is the Key to Future Performance, (TA), Mar., p. 61.

Control high-speed circuits with PIN diode switches, (PF), May, p. 152.

Novel avalanche photodiode, (N), Nov., p. 48.

Economic Outlook

US study group to visit Japan, (N), July, p. 36.

AEA to emphasize education, exports, (N), Feb., p. 19.

\$50,000 offered to find missing ICs, (N), Jan., p. 28.

Engineers dissent on immigration bill, (N), Feb., p. 31.

Uphill fight expected for new procurement plan, (N), Feb., p. 34.

Hughes doubles silicon output; relieves reliance on foreign supply, (N), Mar., p. 31.

House grapples with R&D funding measure, (N), May, p. 42.

Engineer pay hikes up 9 percent in '81, (N), May, p. 28.


US, Japan form high-tech group, (N), June, p. 48.

Midwestern US ripe for technology, (N), Aug., p. 48.

(continued on p. 114)

Interchangeable transition pins:

**your keys to practical connector replacement
— in the field — without opening
or disturbing the circuit package**



Your job is tough enough, and we'd like to help. What better way than with our interchangeable transition pin connectors. The pins slip-fit into the connector and are soldered to the circuit. So you can

remove the connector without disturbing the circuit contact. And that means in-the-field connector replacement is a sweetheart instead of a heart-ache. Even on hermetic packages.

And if that one advantage isn't enough to make life easier, we've got four more for you. Our SMA flange connectors with interchangeable pins also:

- Increase package design options
- Assure mechanical integrity for improved electrical performance
- Simplify testing procedures
- Reduce inventory costs

Of course these connectors meet all applicable specifications of MIL-C-39012. We'd like to say a lot more about these unique connectors. About their simplicity, practicality and economy. And if you'd care to listen, get in touch soon for full technical details or applications assistance.



EMC TECHNOLOGY, INC.
1971 OLD CUTHBERT ROAD
CHERRY HILL, NEW JERSEY 08034
Phone: (609) 429-7800 • TWX: 710-896-0193


Authorized distributors and technical sales representatives in all major metropolitan areas.

EMC TECHNOLOGY is a full line MIC product manufacturer. Our products include SMA connectors, terminations, attenuators, resistors and DC blocks for stripline, microstrip and SMA coax.

READER SERVICE NUMBER 57

DIELECTRIC RESONATOR FILTERS

From the Leader



FIRST in the industry with dielectric resonator filters. Now you can have truly small size and low cost with waveguide filter like performance.

— FEATURES —

- 3.3 to 12.4 GHz
- Freq Stab: <2 PPM/°C
- Op Temp.: -55 to +85°C
- Pwr Hand'lg: 12 W max.
- Unloaded Qs: to 7000
- 2 to 11 Poles Available
- Bandwidths: 1% typ.
- Mf'd under MIL-I-45208A

— OTHER PRODUCTS —

- Dielectric Resonator Osc's
- GUNN Oscillators
- IMPATT Oscillators
- Transistor Oscillators
- IMPATT Drivers & Pulsers
- Custom Designs

Call or write:



MICROWAVE, INC.

Advanced Technology in Microwaves

7755 E. Redfield Road
Scottsdale Industrial Airpark
Scottsdale, Arizona 85260

602-998-1584

1982 Annual Index *(continued from p. 111)*

Small business bill awaits Reagan OK, (N), Aug., p. 48.

Chinese open door to US technology, (N), Aug., p. 43.

Attitudes must change toward women in engineering, (N), Aug., p. 56.

Task force to prod Japanese market, (N), Nov., p. 51.

Hiring rules impact foreign engineers, (N), Nov., p. 54.

Electronic Warfare

US Air Force official: EW systems lacking, (N), June, p. 46.

Air Force receives first improved AWACS aircraft, (N), Jan., p. 26.

New lab performs FCC EMI tests, (N), Jan., p. 26.

Notes from Farnborough: new radar, EW from the UK, (N), Nov., p. 48A.

Filters

New MM-Wave Filter Uses Screened Waveguide, (TA), Aug., p. 79.

A designer's guide to digital filters, (TA), Nov., p. 85.

Tracking YIG filter quiets synthesizers and sweepers, (PF), Nov., p. 109.

Sapphire ring resonators, (N), Dec., p. 38.

Novel low-pass filters, (N), Dec., p. 37.

Government Regulation

FCC approves 930-MHz paging, (N), June, p. 22.

FCC will streamline equipment approval, (N), July, p. 43.

AT&T vows campaign to defend settlement, (N), May, p. 39.

British to study spectrum allocation, (N), Aug., p. 43.

Aydin, MCL officials praise dumping decision, (N), Aug., p. 37.

Justice Dept., AT&T settle antitrust suit, (N), Feb., p. 31.

Tough stand urged on foreign trade, (N), Apr., p. 40.

FCC nixes changes in new DEMS service, (N), Apr., p. 40.

Draft TSO issued for MLS receivers, (N), Jan., p. 31.

Common carrier bill is panel's key goal, (N), Jan., p. 31.

Key copyright pact sparks bitter dissent, (N), Jan., p. 34.

MCI wins another AT&T skirmish, (N), Jan., p. 34.

Copyright bills on House docket, (N), Feb., p. 34.

"Dumping" probe eyes Nippon amplifiers, (N), Mar., p. 33.

FAA will modernize air control system, (N), Mar., p. 33.

AEA backs education bill, (N), June, p. 36.

Justice, AT&T pact called lacking, (N), Oct., p. 45.

FCC nears decision on 2-degree spacing, (N), Dec., p. 25.

Instrumentation and Measurement

Multiplier Circuits Keep Phase Clean, (TA), June, p. 71.

GaAs FET IMD Demands Better Standard, (TA), June, p. 93.

In-house vibration testing saves valuable time, (PT), Aug., p. 93.

Make automatic scalar network measurements up to 26.5 GHz, (PT), Aug., p. 96.

Frequency extender triples signals to 40 GHz, (PT), Aug., p. 99.

Getting the most out of A/D converters, (PT), Aug., p. 107.

Reflectometer sheds light on fiber-optic flaws, (PF), Apr., p. 105.

Economical signal generator uses solid-state source, (PF), Apr., p. 106.

Three-film collaboration yields new "standard" test fixture, (N), Aug., p. 19.

A permanent fixture, (PF), Aug., p. 19.

Tracking sweeper controller automates mixer measurements, (PF), Jan., p. 112.

Spectrum analyzer system speeds phase-noise measurements, (PF), Jan., p. 114.

Conversion service offered for manual spectrum analyzers, (PF), Jan., p. 114.

Cable dielectric constant now measurable to 10 GHz, (N), Mar., p. 47.

New Discriminator Boosts Phase-Noise Testing, (TA), Mar., p. 65.

Use a Waveform Recorder to Simplify VCO Testing, (PT), Mar., p. 99.

Discriminator discourse, (PT), Mar., p. 100.

Signal generators stress simplicity of operation, (PF), Feb., p. 91.

Automated Testing Needs Simplicity and Control, (TA), Feb., p. 49.

Synchronizer system phase locks sources, (PF), Mar., p. 102.

Calibration system is six instruments in one, (CF), May, p. 149.

Synthesized signal generator has pulse modulation to 26 GHz, (PF), May, p. 156.

Advances and the basics share spotlight at ARFTG meeting, (N), Jan., p. 15.

Other ARFTG highlights, (N), Jan., p. 15.

Locking Counter Aids Many Spectrum Analyzers, (TA), Jan., p. 86.

Thin-Film Measurement Dispels Dielectric Doubt, (TA), Jan., p. 76.

Radiated Power Method Protects Personnel, (TA), Jan., p. 74.

Practical Approach Makes TSS Measurement Simple, (TA), Jan., p. 69.

CATV Test Set Came First, (TA), Jan., p. 60.

Automated Testing Needs Simplicity And Control, (TA), Jan., p. 59.

Digital techniques make sweeper user-friendly, (CF), Oct., p. 101.

High-resolution synthesized sweeper offers state-of-the-art performance, (PF), Oct., p. 114.

Synthesized signal generator sets phase-noise standard, (PF), Nov., p. 110.

Low-noise downconverters simplify phase-noise tests, (PF), Dec., p. 145.

Designing receiver automatic test systems, (PF), Dec., p. 161.

Modulation meter adds accuracy to fast acquisition, (PF), Dec., p. 80.

Extending standard sources to millimeter waves, (PF), Dec., p. 74.

Lasers and Integrated Optics

Spacewatch station goes operational, (N), Aug., p. 32.

Gain saturation in semiconductor lasers, (N), Aug., p. 53.

Laser range finder passes rigorous testing, (N), Jan., p. 28.

Military Fiber-Optic Links: Can They Take The Heat?, (TA), Jan., p. 104.

Semiconductor Laser Research Aims For Better System Performance, (TA), Mar., p. 62.

Fiber optics assessed by MTIA, (N), June, p. 46.

Noise in laser diodes, (N), June, p. 50.

GAO hopes Congress sees the light on laser weapons, (N), June, p. 35.

Papers shed light on optics progress, (N), May, p. 24.

Fiber optics, (N), May, p. 131.

Fiber optic reliability, (N), July, p. 33.

Optical fiber sensors, (N), July, p. 33.

Modulator for CO₂ laser, (N), July, p. 34.

Fiber optics take hold in TV broadcast industry, (N), July, p. 26.

High-power laser diode, (N), Oct., p. 53.

Optical communications link, (N), Nov., p. 47.

Weinberger okays space-based laser, (N), Nov., p. 51.

Optical receivers probe the depths of space, (TA), Dec., p. 134.

Materials

Soft Substrates Conquer Hard Designs, (TA), Jan., p. 89.

Interconnections for VLSI, (N), July, p. 34.

Microwave propagation in ferrimagnets, (N), July, p. 44.

PTFE substrates require special care in fabrication, (TA), Oct., p. 72.

How ceramic substrates are made, (TA), Oct., p. 63.

Substrates influence thin-film performance, (TA), Oct., p. 61.

Thermal waves detect subsurface device flaws, (PF), Nov., p. 103.

Thin-film basics begin at the atomic level, (TA), Dec., p. 54.

MIC Design

Researchers disclose new MIC designs for satcom applications, (N), Feb., p. 13.

Transmission line approach, (N), July, p. 33.

Superconducting microwave circuits, (N), May, p. 47.

Improved isolation in GaAs ICs, (N), Oct., p. 54.

Microwaves and Medicine

Setting radiation standards: A highly charged issue, (N), June, p. 27.

Radiation safety guide imminent from ANSI, (N), May, p. 32.

Hyperthermia by magnetic-loop induction, (N), Nov., p. 48.

Millimeter Waves

Millimeter-wave seeker guides a smart, sleek missile, (N), May, p. 17.

Optical modulation at EHF, (N), Aug., p. 53.

New company formed to serve EHF and beyond, (N), Aug., p. 38.

TV remote links to share 38.6 to 40 GHz, (N), June, p. 43.

MM-Wave Synthesizer Has 8-To-15-GHz Bandwidth, (TA), May, p. 119.

The Orottron emerges as a millimeter-wave source, (N), May, p. 126.

A More Than One Mode Device, (TA), May, p. 128.

Small Size And High Resolution Lead MM-Wave Advantages, (TA), July, p. 69.

Rival spacecraft builders team up on MILSTAR payload, (N), Oct., p. 34.

InP may be the power at millimeter wavelengths, (TA), Oct., p. 77.

Miscellaneous

Hughes Microwave speeds production with unique work transport concept, (N), July, p. 15.

US will combat loss of technology, (N), July, p. 41.

Productivity conference stresses proven techniques, (N), May, p. 28.

New image from Mars, (N), June, p. 38.

EMC Technology readies for growth, (N), Aug., p. 38.

Chinese microwave scientists catching up after "hard years," (N), Aug., p. 20.

Pair lead innocent to IC theft, (N), Apr., p. 33.

Kevlin cited for excellence, (N), Mar., p. 26.

College microwave lab funded by Loral Corp., (N), July, p. 25.

Copperhead program bites the dust, (N), Oct., p. 45.

A far-reaching discovery, (N), Nov., p. 34.

Soviet rescue satellite pays its first dividend, (N), Nov., p. 57.

Big defense budget may be in trouble, (N), Dec., p. 25.

Procurement reform on tap for '83, (N), Dec., p. 28.

MTT-S Administrators elect Japan's Konishi, (N), Dec., p. 30.

Two microwave pioneers reflect on a quarter-century of innovation, (N), Dec., p. 16.

NBS appoints Kamper director of Boulder Labs, (N), Dec., p. 32.

Dexcel acquired by Gould; Acrian buys CTC, (N), Dec., p. 32.

Mixers

GaAs diode mixers for 40 to 400 GHz, (N), Aug., p. 53.

Flatpack mixer features rugged package design, (PT), Aug., p. 100.


Complete computer-aided mixer characterization offered, (PF), Mar., p. 105.

Packaging

Shielding barriers block electromagnetic waves, (TA), June, p. 97.

(continued on p. 116)

New Design-Pac™ series for circuit housings simplifies prototype development.



PMH offers a unique system of designer aids that makes it easy to develop housing prototypes from well over 500 possible combinations of sizes, materials, and coatings. And with the PMH system you can even project unit costs before you order. We also have the capability to customize housings to individual requirements.

PMH is a military qualified manufacturer with only one product — circuit housings. Our precision equipment assures accurate machining at the lowest possible cost.

Take the easy route to off-the-shelf or customized prototype circuit housing — Send for your free Design-Pac today.



410 Coles Circle, Salisbury, MD 21801
301 749-4411 • TWX 710 864 9683

TM Design-Pac is a trademark of PMH Incorporated

READER SERVICE NUMBER 60

1982 Annual Index *(continued from p. 115)*

Integrated circuit fabrication technology, (N), June, p. 125.

Emitter/Susceptor Profiles Predict Proper Shielding, (TA), July, p. 79.

Shielding Analysis Aids Material Selection, (TA), Aug., p. 83.

Shielding techniques tackle EMI excesses, (TA), Oct., p. 91.

E-beam proximity printing, (N), Dec., p. 38.

Radar

UK one step closer to new airport radar, (N), Apr., p. 43.

Marconi team gears up for Seawolf radar job, (N), Apr., p. 43.
Future appears bright for commercial sector, (CF), Apr., p. 23.

Millimeter-wave radar: An emerging market?, (CF), Apr., p. 25.

Seeking new ways to exploit radar, (CF), Apr., p. 26.

Tale of a 60-ton gunfighter, (CF), Apr., p. 26.

Matched Filters Up Power, Reduce Noise In Radar, (TA), Apr., p. 61.

Higher System Availability Is Achieved With Software, (TA), Apr., p. 80.

Design Method Optimizes Scanning Phased Array, (TA), Apr., p. 69.

CW Radars Find New Uses In the '80s, (TA), Apr., p. 89.

Exacting military demands drive a vast radar market, (CF), Apr., p. 15.

Doppler radar measures railroad speed and distance, (N), Jan., p. 37.

Racal-Decca waterproof radar housing for lifeboats, (N), Feb., p. 29.

First the Colpitts oscillator, now the coal-pits radar, (N), Feb., p. 29.

Lightweight foam enhances radomes, (N), June, p. 41.

Long-range radar unveiled by Marconi, (N), June, p. 41.

Phased array technology, (N), June, p. 49.

Side-lobe canceling, (N), June, p. 50.

Ground-probing radar may locate pipelines, (N), May, p. 34.

Solid-state radar readied for Alaska, (N), June, p. 43.

Improving side-lobe suppression, (N), July, p. 33.

Air Force weather service adds new tactical radars, (N), Oct., p. 31.

Remote sensing: A history, (N), Oct., p. 54.

A parabolic dish antenna for every bumper, (N), Nov., p. 27.

Researchers develop experimental microwave camera, (N), Nov., p. 28.

Landsat mapping project, (N), Nov., p. 33.

Upgraded air-defense network undergoing operational tests, (N), Nov., p. 45.

Second sleuth on line, (N), Nov., p. 48H.

British agency eyes new antenna, (N), Nov., p. 57.

TVRO builders warned on design, (N), Dec., p. 25.

Eutelsat seeking to preserve its territory, (N), Dec., p. 30.

R&D

1982 International Microwave Symposium, (N), May, p. 58.

Remote sensing detailed, (N), Apr., p. 32.

Bondability problems investigated, (N), Apr., p. 48.

Gyrotron efficiency improvement, (N), Apr., p. 48.

Time compression multiplexing, (N), Apr., p. 48.

Single-phase SAW transducer configurations, (N), Apr., p. 50.

Dual-wavelength laser diode, (N), Apr., p. 50.

Low-frequency GaAs monolithic amplifiers, (N), Apr., p. 50.

Science panel urged to advise Reagan, (N), Jan., p. 31.

GaAs FETs by MBE, (N), Jan., p. 38.

Injection-locked oscillators, (N), Jan., p. 38.

Microstrip dipole arrays, (N), Jan., p. 38.

Optical SSF modulator/frequency shifter, (N), Jan., p. 41.

Nonradiative dielectric waveguides, (N), Jan., p. 41.

GaAs monolithic amplifier, (N), Feb., p. 24.

Efficient SAW beam compressor, (N), Feb., p. 24.

Bessel function formulas, (N), Feb., p. 24.

Multiple-frequency circulators, (N), Feb., p. 27.

Waveguide FET oscillator, (N), Feb., p. 27.

Error rates in digital FM, (N), Feb., p. 27.

R&D incentive bill moves through House, (N), Mar., p. 33.

Leaky-wave antenna, (N), Mar., p. 49.

Mechanical damage in SAW devices, (N), Mar., p. 49.

Electrooptic oscillator, (N), Mar., p. 50.

Millimeter-wave Impatt and Gunn Oscillators, (N), Mar., p. 50.

Ka-band BPSK and QPSK modulators, (N), June, p. 50.

Fortress mentality may quell scientific inquiry, (N), May, p. 55.

Satellite Communications

Hughes satcom facilities hum after \$1-billion Intelsat award, (N), May, p. 30.

RCA seeks three K-band satcoms, (N), June, p. 35.

FCC official describes comsat regulation, (N), June, p. 43.

South Pacific islands enter satellite age, (N), June, p. 30.

Satellites to serve Down Under, (N), July, p. 29.

First Canadian-built satcom delivered, (N), July, p. 29.



Radar Mechanical Engineers

Major long-term defense programs provide a strong and stable business base for us—and exceptional potential for technological achievement and professional growth for those who join us. Immediate assignments involve the Sperry Mk 92 Fire Control System—a fast-reacting modular system capable of continuous search, multiple tracking and simultaneous engagement—as well as Radar, Navigation/Guidance and ASW systems.

ELECTRO-MECHANICAL DESIGN ENGINEERS

Creative design and hands-on development of concepts, components and sub-systems for phased array antennas and advanced radar systems. Analysis, simulation and evaluation of thermal and structural configurations. Proposals, customer interface, direct technical support staff. Requires at least 6-8 years related radar experience. Background also desirable in Finite Element Modeling, computer analysis, fabrication/test, metallurgy, optical alignment. BSME or Physics, MS desirable.

RADAR PRODUCT ENGINEERS

Product follow-up, documentation, configuration management, check-out, vendor and customer liaison. Experience in vibration, shock, thermal analysis of radar systems and antennas. BSME.

Salaries highly competitive, benefits excellent. SPACE—Sperry Program for Advancing Careers through Education—a free college level, after hours technical and business education program offered on-site to all employees. Over 60 courses each semester. To learn more about our stimulating professional environment, where innovation and creativity are encouraged and rewarded, CALL COLLECT (516) 574-3291,2,3 or send a detailed resume in confidence to: P.W. Smith, Supervisor, Employment Department RM19, Sperry Division, Great Neck, LI, NY 11020.

• U.S. Citizenship Required •



We understand how important it is to listen.
Sperry is a Division of Sperry Corporation.
An Equal Opportunity Employer M/F.

New earth station to boost BBC fare, (N), May, p. 34.

Two-degree spacing draws industry fire, (N), May, p. 39.

Report warns US losing space lead, (N), Aug., p. 45.

Satellite users get top priority, (N), Apr., p. 45.

Titan IIIC booster lifts its last load, (N), Apr., p. 33.

Home satellite terminal market expansion is expected, (N), Jan., p. 21.

RCA prepares for programming switch, (N), Jan., p. 21.

Ariane rocket to launch Spacenet satellites, (N), Jan., p. 22.

Fourth satellite is acquired by SBS network, (N), Jan., p. 28.

Comsat now eyes a pay-TV service, (N), Jan., p. 34.

Is Canada ready for her own DBS television service?, (N), Feb., p. 19.

30/20 GHz program cut from NASA budget, (N), Feb., p. 31.

FCC weighing comments on reduced orbital spacing, (N), Feb., p. 34.

Small-dish satcom terminal links small ships, (N), Feb., p. 29.

LNA sales skyrocket as prices plummet, (N), Mar., p. 17.

Advanced Westar: NASA and Western Union ready an orbiting giant, (CF), Mar., p. 15.

MARISAT hits 1000 mark in shipboard terminals, (N), Mar., p. 28.

Early vote expected on DBS petitions, (N), Mar., p. 33.

Comsat will sell shipboard earth stations, (N), July, p. 41.

FCC closes the door on satcom petitions, (N), July, p. 41.

STC gets launch approval for first DBS satellites, (N), Oct., p. 34.

RCA begins final countdown for solid-state Satcom, (N), Oct., p. 25.

Nation's major satcom builders race to replace TWTs in space, (N), Nov., p. 31.

Show of force pays off, (N), Nov., p. 48E.

F&S predicts satcom boom, (N), Nov., p. 48H.

Satcom agreement signed by US, Canada, (N), Nov., p. 48H.

Semiconductors

Heterojunction Devices: Doing It With GaAlAs/GaAs, (TA), Feb., p. 85.

IEEE highlights, VLSI advances, (N), Apr., p. 78.

InP: A Promising Material For EHF Semiconductors, (TA), Feb., p. 77.

Improvements in materials and processes advances GaAs FETs and diodes, (N), Feb., p. 17.

GaAs Compounds Promise Lower Noise MES-FETs, (TA), Mar., p. 91.

"The Year of the GaAs FET" may mark solid-state's turning point, (N), May, p. 18.

Sources

Harmonic Generators Have High Efficiency, (TA), Mar., p. 84.

Dielectric resonator oscillator offers stable LO performance, (PF), June, p. 108.

Introduction to quartz crystal unit design, (N), June, p. 124.

MIC sources hold key to future EW systems, (TA), June, p. 83.

U-Band Gunn Oscillator Rivals Impatt Performance, (TA), May, p. 139.

YIG-tuned oscillators fill high-power requirements, (PF), July, p. 92.

Systems and Subsystems

GaAs monolithic T/R module, (N), May, p. 47.

Parametric converter called R-band first, (N), July, p. 36.

Build a 144-to-148-MHz bipolar preamplifier, (PT), Aug., p. 107.

High speeds aggravate synthesizer vibration problems, (N), Mar., p. 47.

Conference organizers promise no jamming, (N), July, p. 36.

Minority firm receives major Air Force pact, (N), July, p. 43.

Transistors

Power GaAs FET reliability, (N), June, p. 49.

Three transistors take on cellular communication challenges, (PF), June, p. 106.

Two bipolar transistors boast small price tags, (PF), June, p. 107.

TEGFET DCFL circuits, (N), Aug., p. 53.

VMOS Transistors Score Multicarrier Power Gains, (TA), Aug., p. 63.

Plessey works toward 1-W, 18-GHz GaAs FET, (N), Apr., p. 43.

GE boosts silicon MESFET, (N), Apr., p. 34.

The search for the fastest three-terminal device, (N), Feb., p. 55.

Progress On The Permeable Base Transistor, (TA), Feb., p. 57.

Improved FET Design Reaches Millimeter Waves, (TA), Feb., p. 67.

Indium phosphide JETs, (N), Dec., p. 37.

Invisible GaAs FETs reach low-noise floor, (PF), Dec., p. 146.

Motorola's first two GaAs FETs target new cellular radio market, (N), Dec., p. 32.

Tubes

Interest in MM waves spurs tube growth, (CF), July, p. 55.

Multiple output supplies must meet TWT demands, (TA), July, p. 63.


GaAs FETs give power in a compact package, (PF), Nov., p. 107.

Self-aligned GaAs FET, (N), Nov., p. 48.

British set sights on magnetron market, (N), Oct., p. 51.

Soliton analysis technique may unlock RF secrets, (N), Nov., p. 37.

Microwave Integrated Circuit Techniques Result in THE SMALLEST SIZE OSCILLATORS AT LOW COST



Free Running Fundamental

Free Running Multiplied

Phase Locked

ANY FREQUENCY IN THE BAND	.8 - 6GHz	6 - 18GHz	.8 - 18GHz
POWER OUTPUT	Up to 250mW	Up to 100mW	Up to 100mW
HARMONICS	- 40dbc	- 40dbc	- 40dbc
SPURIOUS	- 70dbc	- 60dbc	- 60dbc
STABILITY	10ppm/°C	10ppm/°C	1ppm/°C
POWER SUPPLY	- 12V @ 160ma max.	- 12V @ 160ma max.	- 12V @ 160ma max. + 12V @ 100ma max.
DIMENSIONS	1.25" x 1.25" x .5"	2.5" x 1.25" x .5"	3.75" x 1.47" x .88"
TEMPERATURE RANGE	- 55°C to + 85°C		



VCO Options Available • Custom Requirements Welcome

ANGHEL LABORATORIES INC.

333 Route 46, Fairfield, N.J. 07006 • Tel: 201-575-1116

READER SERVICE NUMBER 61